



Safety data sheet

33xx20 Bondex Quick Drying Woodstain

1. Identification of the substance/preparation and of the company/undertaking

Registration number: - Prepared on: 26-05-2011/ RMA Replaces: - Product use: Woodstain. Trade name: 33xx20 Bondex Quick Drying Woodstain	Distributor: Dyrup A/S Gladsaxevej 300 DK-2860 Søborg Tel:+45 39 57 93 00 Fax:+45 39 57 93 93 Email: productsafety@dyrup.dk
--	---

2. Hazards identification

Additional information According to present regulations the product does not have to be classified.

3. Composition/information on ingredients

Einecs no.	CAS No.	Substances	Classification	w/w%
		Contains no substances subject to reporting requirements.		
<i>Please see section 16 for the full text of the R-phrases</i>				

4. First aid measures

Inhalation Move the affected person to fresh air and keep at rest under surveillance. If needed: get medical attention.
Ingestion Rinse mouth and drink plenty of water. Keep at rest under surveillance. If needed: get medical attention.
Skin Remove contaminated clothing and wash skin with water and mild soap. If irritation persists: seek medical advice.
Eyes Immediately flush with water, holding eye lids open, remember to remove contact lenses, if any. If irritation persists: get medical attention.
Burns Not relevant.
Other information If medical attention is needed, please bring this Safety Data Sheet.

5. Fire-fighting measures

Extinguishing media: The product is not combustible.
Do not use: -
Hazardous combustion or decomposition products: Hazardous flue gases are formed in fire conditions.
Protective equipment: Do not breathe smoke gasses. Remove containers if possible. Fire exposed containers should be sprayed with water.

Prepared on: 26-05-2011/RMA
Replaces: -

33xx20 Bondex Quick Drying Woodstain

6. Accidental release measures

Methods for cleaning up/collecting waste: Absorb spilled liquid with granulate or other absorbent material and place in suitable waste containers. For information on disposal please see section 13.

Personal precautions: Provide adequate ventilation. Use the same personal protection as for section 8.

Environmental precautions: Do not empty into drains. See section 12. Inform appropriate authorities in accordance with local regulations.

7. Handling and storage

Handling

Do not breathe spray and avoid contact with the skin. See section 8.

Storage

Securely, out of reach of unauthorized people and not together with food, animal feeding stuffs, medicines, etc.

8. Exposure controls/ personal protection

Precautions for use

Follow national values for Occupational Exposure Limits. Maintain concentrations vapours below the relevant occupational exposure limits. After use wash with water and soap.

Respiratory protection

In case of spraying use an approved mask with a particle filter type P2 SL (white). The filter has a limited lifetime and must be changed. Read the instruction. .

Gloves and protective clothing

Wear protective gloves of rubber, min. 0,3 mm (tested according to EN 374-3). Exposure time: >8 hours at 23°C.

Eye protection

Wear tight fitting eye protection on risk of splashes in eyes.

Occupational exposure limits

Contains no substances subject to reporting requirements.

9. Physical and chemical properties

State: Fluid

Solubility in water: Soluble

Density: 1.03 g/ml approx.

10. Stability and reactivity

Stability: The product is stable if used in accordance with storage instructions (see section 7).

Materials to avoid: None.

Conditions to avoid: Avoid strong heating.

Hazardous decomposition products: At high temperature, hazardous decomposition products such as carbon- and nitrogen oxides may be produced.

Prepared on: 26-05-2011/RMA
Replaces: -

33xx20 Bondex Quick Drying Woodstain

11. Toxicological information

Acute

Inhalation

May be irritating to respiratory system.

Ingestion

Ingestion of large amounts may cause vomiting or diarrhoea.

Skin contact

May irritate the skin.

Eye contact

May irritate the eye.

Risk of sensitization

Water based products contain in can preservatives which may cause an allergic reaction in sensitized persons.

Long-term effects

See Risk of sensitivity.

12. Ecological information

Ecotoxicity

The product contains a substance, which is very toxic to aquatic organisms.

Mobility

The product is miscible with water and will be spread in the aquatic environment.

Persistence and degradability

The product contains very small amounts of substance, that are not biologically degradable.

Bioaccumulative potential

Based on the Log Kow's of the substances the product is not considered to bioaccumulate.

13. Disposal considerations

The product is controlled waste and should be disposed of in accordance with the local regulations.

EWC code: 08 01 12

14. Transport information

The product is not covered by the rules for transport of dangerous goods according to ADR, IMDG and IATA.

Prepared on: 26-05-2011/RMA
Replaces: -

33xx20 Bondex Quick Drying Woodstain

15. Regulatory information

Hazard designation:

Contains

According to present regulations the product does not have to be classified.

Other labelling

None.

Chemical safety assessment

Chemical safety assessment has not been performed.

16. Other information

Restrictions on use

None.

Training requirement

The product should only be used by people who has a thorough knowledge of this Safety Data Sheet.

Sources used

Other information

Because of the content of fungicide it is recommended that the product is only used on surfaces outdoor.

VOC EU limit value for this product (cat. A/e): 400 g/l (2010). This product contains max 5 g/l VOC.

Full text of the R-phrases that are stated in section 3.

No R-phrases.

Amendments have been made in the following sections

First edition.

Dyrup A/S, Gladsaxevej 300, 2860 Søborg, Tlf.: 39 57 93 00 (Made in Toxido®) UK